(TAM-01B) MINI THERMO ANEMOMETER

TECHNICAL SPECIFICATION

	Range	Resolution	Accuracy
	0.4~30.0 m/s	0.1	$\pm (3\% + 0.3 \text{ m/s}) \pm$
Air Velocity	1.4~108 km/h	0.1	(3% + 1.0 Km/H)
Range	0.9~67.0 Mph	0.1	$\pm (3\% + 0.4 \text{ Mph})$
	0.8~58.0 Knots	0.1	$\pm (3\% + 0.4 \text{ Knots})$
	80~5900 ft/min	1.0	$\pm (3\% + 40 \text{ ft/min})$

Temperature range: 20°C to 70°

Temperature Accuracy: ±0.5°C.

Temperature Resolution: 0.1.

Operating Condition: -20°C-60°C, 10% RH -90%RH

Storage Condition: -20°C-60°C, 10% RH -90%RH

Power Supply: 3*1.5V"AAA" Batteries.

Battery Life: Over 60 hours





Special feature

- Selectablemeasurement units: m/s, ft/min, Mph, km/hr or Knots.
- Fast sampling rate
- MAX/MIN/DATA HOLD.
- Enable/disable auto power offAir speed: 0.40~30.00m/s.
- Over range indication, Low Battery indication.





products@tunix.co.in



91+6264901140

Tunix Corporation, Office No. 520, Block MS 1 A Mall Go-down road, New Siyaganj, Indore, MP India